INDEX TO VOLUME 111

New scientific names are in bold face

Agrostidinae 155–170
Alexander, Earl B. 21–108
Alix, Mitchell S., Robin W. Scribailo, and Jeremy D. Price. *Hydrilla verticillata* (Hydrocharitaceae): An undesirable addition to Indiana's aquatic flora. 131–136 (Note)
Alvar 189–208
ANNOUNCEMENTS:
Change of Editor-in-Chief 414–415
Merritt Lyndon Fernald Award 413
New England Botanical Club Graduate Student Research Award 412
Apiaceae 171–188
Aquatic flora, *Hydrilla verticillata* in Indiana 131–136
Aralia elata, *A. spinosa* 145–154; distribution maps in northeastern U.S. 147, 148
Araliaceae 145–154
Archiphysalis 209–217
Atalantia fongkaica C.C. Huang, sp. nov. 536–537; validated 536
Athenea viscosa 209–217
Averett, John E. Taxonomy of *Leucophysalis* (Solanaceae, Tribe Physaleae). 209–217

Balsam Mountain gentian. ***Gentiana latidens*** (Gentianaceae), the, 389–397; comb. et stat nov. 394; key 395–396
Berkshire County, MA 120–122
BOOK REVIEWS:
Field Guide to Wisconsin Sedges: An Introduction to the Genus *Carex* (Cyperaceae) 403–404
Sedges: Uses, Diversity, and Systematics of the Cyperaceae 261–265
Trees and Shrubs of Minnesota 266–268
Botanical nomenclature 273–388
Brackish tidal riverbank marsh 171–188
Briscoe, Laura R. E., Tanner B. Harris, William Broussard, Eva Dannenberg, Fred C. Olday, and Nishanta Rajakaruna. Bryophytes of adjacent serpentine and granite outcrops on the Deer Isles, Maine, U.S.A. 1–20
Broussard, William 1–20
Bryophytes 1–20, 218–230
Bryophytes of adjacent serpentine and granite outcrops on the Deer Isles, Maine, U.S.A. 1–20; checklist 6–9
Bud scales conflicts with keys for identifying species of *Dirca* (Thymelaeaceae). Color of pubescence on, 126–130
Burdick, David M. 171–188

Ca:Mg 21–108
Calamagrostis 155–170
Calamagrostis perplexa (Poaceae: Poeae: Agrostidinae), a New York State endemic grass 155–170
Campanulaceae 398–402
Catesby, Mark 273–388
Catesby's *Natural History*, with nomenclatural notes and comments. Identification of the plant and associated animal images in, 273–388; checklist of organisms illustrated by Catesby 371–388
Catling, Paul M. *Coleanthus subtilis* (Poaceae), new to Northwest Territories, and its status in North America. 109–119
Catling, Paul M. Composition, phytogeography, and relict status of the vascular flora of alvars and cliff tops southwest of Great Slave Lake, Northwest Territories, Canada. 189–208

Chamaesaracha 209–217
Checklists: alvar species, N.W.T. 194–197; Catesby's illustrations 371–388; epiphytes, Mexico 519–535; hemlock-northern hardwoods palustrine forest species, Pennsylvania 246–260; ornithocoprophilous vascular plants, Maine 440–447; scrub flora, Florida 482–502; serpentine bryophytes in Maine 6–9, 66–69; serpentine lichens, Maine 62–65; serpentine vascular species, Maine 70–108
Chiapas, Mexico 503–535
China 536–537
Coastal ecology 417–447
Coleanthus subtilis (Poaceae), new to Northwest Territories, and its status in North America. 109–119
Coleanthus subtilis 109–119
Color of pubescence on bud scales conflicts with keys for identifying species of *Dirca* (Thymelaeaceae). 126–130 (Note)
Composition, phytogeography, and relict status of the vascular flora of alvars and cliff tops southwest of Great Slave Lake, Northwest Territories, Canada. 189–208; checklist 194–197; distribution maps 199
Connecticut, new record 123–125
Connolly, Bryan A. × *Sorbaronia fallax* (Rosaceae): A new record of an intergeneric hybrid in Connecticut. 123–125 (New England Note)
Conservation status 171–188
Corogin, Paul T. and Walter S. Judd. Floristic inventory of Tiger Creek Preserve and Saddle Blanket Scrub Preserve, Polk County, Florida. 448–502
Crawford County, PA 231–260

Danderson, Clark A. 398–402
Dannenberg, Eva 1–20
Deer Isles, Maine, U.S.A., bryophytes 1–20
Dirca (Thymelaeaceae). Identifying species of, 126–130
Distribution of the native *Aralia spinosa* and non-native *Aralia elata* (Araliaceae) in the northeastern United States. 145–154; distribution maps 147, 148

Eastern grasswort, *Lilaeopsis chinensis* 171–188
Eastern North America 21–108
Ecotypic differentiation 417–447
Edaphic endemism 21–108
Edaphic factor 1–20
Element occurrence 171–188
Endemic species: *Calamagrostis perplexa* in New York 155–170; ***Gentiana latidens***, North Carolina 389–397
Endemism, Florida 448–502
Epiphyte flora of El Triunfo Biosphere Reserve, Chiapas, México. The vascular, 503–535; checklist 519–535
Epiphytes 503–535

Flora 189–208, 231–260, 448–502, 519–535
Flora of alvars and cliff tops southwest of Great Slave Lake, Northwest Territories, Canada. 189–208
Florida 448–502
Floristic inventory of Tiger Creek Preserve and Saddle Blanket Scrub Preserve, Polk County, Florida. 448–502; list of endemic vascular plants 460–461; checklist of vascular plants 482–502
Floristics 189–208, 448–502
Forest, hemlock-northern hardwoods 231–260
Fortunella bawangica C.C. Huang, *sp. nov.* 536–537; validated 537
Frost, Karro A. and Karen B. Searcy. *Geum vernum*, spring avens (Rosaceae): A new, potentially weedy species in Berkshire County, Massachusetts. 120–122 (New England Note)
Funaria 218–230

Gentiana austromontana, *G. clausa*, *G. decora*, ***G. latidens*** comb. et stat. nov., *G. saponaria* 389–397; key 395–396
Gentiana latidens (Gentianaceae), the Balsam Mountain gentian. 389–397
Gentianaceae 389–397
Geobotany 21–108, 417–447
Geoecology 21–108
Geum vernum, spring avens (Rosaceae): A new, potentially weedy species in Berkshire County, Massachusetts. 120–122 (New England Note)
Glenn, Steven D. 145–154
Granite outcrops on the Deer Isles, Maine 1–20
Grass, *Calamagrostis perplexa* 155–170
Graves, William R. 126–130
Great Bay Estuary, New Hampshire 171–188
Guan, Kai-Yun 536–537
Gulf of Maine 417–447
Gynomonoecious individuals in *Lobelia spicata* (Campanulaceae) populations. 398–402 (Note)

Harris, Tanner B. 1–20, 21–108, 417–447
Heavy metal tolerance 1–20
Heavy metals 417–447
Heavy-metal hyperaccumulation 21–108
Hemlock 231–260
Howard, Timothy G., Jeffery M. Saarela, Beata Paszko, Paul M. Peterson, and David Werier. New records and a taxonomic review of *Calamagrostis perplexa* (Poaceae: Poeae: Agrostidinae), a New York State endemic grass. 155–170
Hybrid 155–170
Hybrid, × *Sorbaronia fallax*, intergeneric 123–125
Hydrilla verticillata (Hydrocharitaceae): An undesirable addition to Indiana's aquatic flora. 131–136 (Note)
Hydrocharitaceae 131–136

Identification of the plant and associated animal images in Catesby's *Natural History*, with nomenclatural notes and comments. 273–388; checklist of organisms illustrated by Catesby 371–388
Identifying species of *Dirca* (Thymelaeaceae) 126–130
Illinois 398–402
Images in Catesby's *Natural History*, with nomenclatural notes and comments. Identification of the plant and associated animal, 273–388; checklist 371–388
Indiana 131–136
Inflorescence, *Aralia spinosa* and *A. elata* 145–154
Infructescence, *Aralia spinosa* and *A. elata* 145–154
Insular ecology 417–447
Intergeneric hybrid, × *Sorbaronia fallax* 123–125
Introduced plants, mosses 218–230
Invasive species, Pennsylvania hemlock-northern hardwoods palustrine forest 231–260

Jiang, Nan, Kai-Yun Guan, Wen-Bin Yu, and Xiao-Ming Peng. Validation of ***Atalantia fongkaica*** and ***Fortunella bawangica*** (Rutaceae). 536–537
Judd, Walter S. 448–502

Kindbergia 218–230; diagrams 226

Lake Manitou, Indiana, *Hydrilla verticillata* 131–136
Lake Wales Ridge, Florida 448–502
Lawn moss 218–230
Leucophysalis grandiflora, *L. nana* 209–217; key 210; distribution maps 212, 213
Lichens on serpentine soil 21–108
Lilaeopsis chinensis (Apiaceae), in the Great Bay Estuary, New Hampshire, U.S.A. 171–188

Limestone 189–208
Lobelia spicata (Campanulaceae) populations. Gynomonoecious individuals in, 398–402 (Note)

Ma, Jinshuang 145–154
Maine 1–20, 417–447
Mark Catesby 273–388
Martínez-Camilo, Ruben 503–535
Martínez-Meléndez, Nayely, Miguel Ángel Pérez-Farrera, and Ruben Martínez-Camilo. The vascular epiphyte flora of El Triunfo Biosphere Reserve, Chiapas, México. 503–535
Massachusetts 120–122
Mesohaline 171–188
Mexico 503–535
Miller, Norton G. Mosses adventive and naturalized in the northeastern United States: New examples and new distributional records. 218–230
Molano-Flores, Brenda and Clark A. Danderson. Gynomonoecious individuals in *Lobelia spicata* (Campanulaceae) populations. 398–402 (Note)
Moore, Gerry, Steven D. Glenn, and Jinshuang Ma. Distribution of the native *Aralia spinosa* and non-native *Aralia elata* (Araliaceae) in the northeastern United States. 145–154
Moore, Gregg E., Christopher R. Peter, and David M. Burdick. Status of the eastern grasswort, *Lilaeopsis chinensis* (Apiaceae), in the Great Bay Estuary, New Hampshire, U.S.A. 171–188
Mosses 1–20, 21–108, 218–230
Mosses adventive and naturalized in the northeastern United States: New examples and new distributional records. 218–230; key to *Rhytidiadelphus squarrosus*, *R. subpinnata* 220–222
Mount Desert Rock, a remote bird-nesting island in the Gulf of Maine, U.S.A. Ornithocoprophilous plants of, 417–447; tissue elemental concentrations 427; checklist of vascular species 440–447

Native *Aralia spinosa* and non-native *Aralia elata* (Araliaceae) in the northeastern United States. Distribution of the, 145–154; distribution maps 147, 148
Naturalized bryophytes 218–230
NEBC Meeting News 137–143, 270–272, 406–411, 539–543
New Books 269, 405, 538
New England Notes 120–122, 123–125
New Hampshire 171–188
New record of an intergeneric hybrid in Connecticut. × *Sorbaronia fallax* (Rosaceae), 123–125
New records and a taxonomic review of *Calamagrostis perplexa* (Poaceae: Poeae: Agrostidinae), a New York State endemic grass. 155–170; key 163
New records: *Calamagrostis perplexa* in New York State 155–170; *Coleanthus subtilis* in Northwest Territories 109–119; epiphytes in Chiapas, Mexico 503–535; *Hydrilla verticillata* in Indiana 131–136; mosses in easternU.S.; × *Sorbaronia fallax* (Rosaceae) in Connecticut 123–125
New York 155–170
Nickel 21–108
Nitrophilous plants 417–447
Nomenclature 536–537
Non-native *Aralia elata* (Araliaceae) in the northeastern United States. 145–154
North America, status of *Coleanthus subtilis* 109–119
North Carolina 389–397
Northeastern United States 145–154, 218–230
Northern hardwoods 231–260
Northwest Territories, Canada 109–119, 189–208

Notes 126–130, 131–136

Olday, Fred C. 1–20
Oligohaline 171–188
Ornithocoprophilous plants 417–447
Ornithocoprophilous plants of Mount Desert Rock, a remote bird-nesting island in the Gulf of Maine, U.S.A. 417–447; tissue elemental concentrations 427; checklist of vascular species 440–447

Palustrine 231–260
Paszko, Beata 155–170
Peng, Xiao-Ming 536–537
Pennsylvania 231–260
Pérez-Farrera, Miguel Ángel 503–535
Pérez-Orozco, Jose 417–447
Peter, Christopher R. 171–188
Peterson, Bryan J., William R. Graves, and Jyotsna Sharma. Color of pubescence on bud scales conflicts with keys for identifying species of *Dirca* (Thymelaeaceae). 126–130 (Note)
Peterson, Paul M. 155–170
Physaleae 209–217
Physaliastrum 209–217
Physalis 209–217
Phytogeography 189–208, 417–447
Plant and associated animal images in Catesby's *Natural History*, with nomenclatural notes and comments. Identification of the, 273–388; checklist 371–388
Plant introduction, mosses 218–230
Poaceae 109–119, 155–170
Poeae 155–170
Poindexter, Derick B. and Ralph L. Thompson. Vascular flora and plant habitats of Wallace Woods, a hemlock-northern hardwoods palustrine forest, Crawford County, Pennsylvania. 231–260
Polje 109–119
Pope, Nathaniel 417–447
Postglacial relict 189–208
Prairie 189–208
Price, Jeremy D. 131–136
Principal components analysis (PCA) 155–170
Pringle, James S. and Alan S. Weakley. ***Gentiana latidens*** (Gentianaceae), the Balsam Mountain gentian. 389–397
Pseudoscleropodium 218–230
Pymatuning Laboratory 231–260

Rajakaruna, Nishanta 1–20
Rajakaruna, Nishanta, Nathaniel Pope, Jose Perez-Orozco, and Tanner B. Harris. Ornithocoprophilous plants of Mount Desert Rock, a remote bird-nesting island in the Gulf of Maine, U.S.A. 417–447
Rajakaruna, Nishanta, Tanner B. Harris, and Earl B. Alexander. Serpentine geoecology of eastern North America: A review. 21–108
Rare plants 21–108; 189–208; in Northwest Territories 109–119; in Chiapas, Mexico 503–535
Rare plants, *Avenula hookeri*, *Danthonia spicata*, *Prunus virginiana* 189–208
Relict status of the vascular flora of alvars and cliff tops southwest of Great Slave Lake, Northwest Territories, Canada. 189–208
Reserve, El Triunfo Biosphere, Mexico 503–535
Reveal, James L. Identification of the plant and associated animal images in Catesby's *Natural History*, with nomenclatural notes and comments. 273–388
Review, serpentine geoecology of eastern North America. A, 21–108; checklists: lichens 62–65, mosses 66–69, vascular species 70–108
Reviewers of Manuscripts 544
Rhytidiadelphus squarrosus, *R. subpinnatus* 218–230; key 220–222; diagrams 221
Rosaceae 120–122, 123–125
Rutaceae 536–537

Saarela, Jeffery M. 155–170
Saddle Blanket Scrub Preserve, Polk County, Florida 448–502
Scribailo, Robin W. 131–136
Scrub vegetation, Florida 448–502
Searcy, Karen B. 120–122
Serpentine 1–20
Serpentine endemism 21–108
Serpentine geoecology of eastern North America: A review. 21–108; checklists: lichens 62–65, mosses 66–69, vascular species 70–108
Serpentine outcrops on the Deer Isles, Maine 1–20
Serpentine soil 21–108
Sharma, Jyotsna 126–130
Shorelines 109–119
Solanaceae 209–217
Sorbaronia fallax (Rosaceae): A new record of an intergeneric hybrid in Connecticut. ×, 123–125 (New England Note)
Spring avens (Rosaceae) in Berkshire County, Massachusetts. 120–122
Statement of Ownership 144
Status of the eastern grasswort, *Lilaeopsis chinensis* (Apiaceae), in the Great Bay Estuary, New Hampshire, U.S.A. 171–188
Substrate ecology 1–20

Taxonomic review of *Calamagrostis perplexa* (Poaceae: Poeae: Agrostidinae), a New York State endemic grass. New records and a, 155–170
Taxonomy 389–397
Taxonomy of *Leucophysalis* (Solanaceae, Tribe Physaleae). 209–217; key 210; distribution maps 212, 213
The Natural History of Carolina, Florida, and the Bahama Islands (Catesby) 273–388
The vascular epiphyte flora of El Triunfo Biosphere Reserve, Chiapas, México. 503–535; checklist 519–535
Thompson, Ralph L. 231–260
Threatened plant 171–188
Thymelaeaceae 126–130
Tiger Creek Preserve, Polk County, Florida 448–502
Triunfo 503–535
Typification 273–388

Ultramafic ecology 1–20, 21–108

Validation of *Atalantia fongkaica* and *Fortunella bawangica* (Rutaceae). 536–537
Vascular epiphyte flora of El Triunfo Biosphere Reserve, Chiapas, México. The, 503–535; checklist 519–535
Vascular flora 231–260
Vascular flora and plant habitats of Wallace Woods, a hemlock-northern hardwoods palustrine forest, Crawford County, Pennsylvania. 231–260; habitats described 238–243; checklist 246–260
Vascular plants: on serpentine soil 21–108; forest 503–535
Vegetation, Northwest Territories 109–119

Wallace Woods, Pennsylvania 231–260; checklist of vascular species 246–260
Weakley, Alan S. 389–397
Weedy species 120–122
Werier, David 155–170

Yu, Wen-Bin 536–537

Zoological nomenclature 273–388